# **A SELECTION OF UNMISSABLE OFFERS** R PROTOOL INDUSTRY **Issue 02/2014**

April - June 2014





# **THE POWER OF AIR** UNLEASHED

Ideal for use in any general maintenance operations



# CL3.C18S 1/2" CORDLESS **IMPACT WRENCH**

- High tech impact mechanism

**ANGLE IMPACT** WRENCH

- Compact tool perfect for use in confined areas
- Robust and durable twin hammer mechanism for the toughest applications
- Light weight yet hard wearing composite housing
- Low consumption yet powerful motor
- Socket ring retains socket for safety while still allowing easy removal when needed
- Feather trigger great control for optimal speed regulation



NJ.A1700F2 3/8" ANGLE IMPACT WRENCH

NS.A1700F2

1/2" ANGLE IMPACT **WRENCH** 

CONTENTS =

Also inside

amazing

savings on

BRITOOL

pЗ

p10

p12



w	<b>OFFER PRICE</b>
<b>E 20%</b>	€ <b>291.82</b>
ce: €364.78	<i>NS.A1700F2</i>
	NS.A1700F2

	Weight (kg)	Free speed (Rpm)	Max Torque (Nm)	Blows per minute	Length (mm)	Average air consumption (I/min)	Tool fitting	Hose diameter	Vibration level (m/s2)	Noise level Db (A)
NJ.A1700F2	1.8	7,200	215	1,700	353	143	1/40	<b>0</b> /011	46.52	98
NS.A1700F2	1.8	7,200	244	1,700	353	143	1/4"	3/8"	29.96	98





- delivering 983 Nm of torque
- Robust protective bumpers for tool durability
- Socket ring retains socket for safety while still allowing easy removal when needed
- Feather teasing trigger for optimal speed regulation
- 18V 3Ah battery powered by Dewalt technology
- switch close to the trigger for ease of use

- Practical one hand forward reverse

- Comfortable rubber injected overlay over composite, resistant to oil and acids
- Interchangeable with Dewalt batteries



	Weight	Free speed	Max Torque	Length	Battery	Vibration	Noise level
	(kg)	(Rpm)	(Nm)	(mm)	(Volts)	level (m/s2)	Db (A)
CL3.C18S	2.5	1,800	983	241	18	11.5	92

- Compact tool perfect for use in confined areas
- Robust and durable twin hammer mechanism for the toughest applications
- Light weight yet hard wearing composite housing
- Low consumption yet powerful motor
- Socket ring retains socket for safety while still allowing easy removal when needed
- Feather trigger great control for optimal speed regulation



SKFECT

DR GENERAL

intenance

VR.JZ300F2

# 3/8" TITANIUM **AIR RATCHET**





ERFECT FOR

ANTENANCE

OVERATIONS

VR.SZ300F2

NTENSIVE GENERAL



	Max torque (Nm)	Free speed (Rpm)	Length (mm)	Weight (kg)	Head thickness	Average air consumption (l/min)	Structure
VR.JZ300F2	90	400	314	1,3	52	110	Titanium
VR.SZ300F2	90	400	314	1,3	52	110	Titanium

RITOOL PLUS...SEE PAGE 6 FOR GREAT DEALS ON SOCKETRY

Click www.facom.com or www.britoolexpert.co.uk or see 🚮 Facebook and YouTube


# **AIR TOOLS**

# **THE MOST POWERFUL IMPACT WRENCHES ON THE MARKET**



# FACOM Titanium Impact Wrenches

- Robust and durable twin hammer mechanism for the toughest applications
- Light weight yet hard wearing titanium housing
- Ergonomic handle with insulated double injected composite housing with rubber, chemical and acid resistant



- One hand forward/ reverse system with integrated three power settings
- Angled exhaust to blow air away from workstation



**REMOVES UNWANTED MATERIAL FAST** 



IVE 35%

OBUST ...

**3/8" TITANIUM IMPACT WRENCH** 

"(Exfect for intensive

CONFINED AREAS

OBS

ASSEMBLY

NJ.3000F

## NS.2000F 1/2" COMPACT TITANIUM **IMPACT WRENCH**





2

NS.3000F 1/2" TITANIUM IMPACT



MAX

TORQUE

710Nm



V.500F

# **MATERIAL REMOVER KIT**

ERSATILE

RODUCTIVITY ...

- Delivered with second handle for optimum control and less fatigue for the operator
- Ergonomically developed safety trigger
- Complete kit with 4 brushes, 2 erasers, 2 adaptors and the tool all included in a sturdy blow mold case
- Quiet rear exhaust motor with an insulating rubber housing for great comfort





	Free speed (rpm)	Maximum torq ue (Nm)	Number of pulses	Weight (Kg)	Power/Intensity of use rate	Length (mm)	Average air consumption (l/min)	Structure
NJ.3000F	10,500	710	1,750	1.3	5	152	125	Titanium
NS.2000F	10500	800	1750	1.4	4	157	125	Titanium
NS.3000F	7225	1700	1160	2.1	5	179	144	Titanium
NK.3000F	5300	2115	950	3.8	5	227	200	Titanium

- Highest quality driving belt inside the tool offers great durability
- Delivered with two easy-to-mount adapters for safe attachment of brushes or erasers
- Rotation speed: 3500 rpm
- Sound level: 81 dB

	Free speed (rpm)	Weight (Kg)	Length (mm)	Average air consumption (l/min)
V.500F	3500	1.2	2970	113







# **STORAGE**

# **EROBED** CARRY ONLY THE BEST TOOL BAG

#### Heavy duty design:

- High strength 1200 X 1200 denier fabric
- Rigid, waterproof tool compartments
- Robust aluminium handle



#### BS.T14PB 14" PROBAG

Dimensions: 42 x 24 x 34cm △ 2.225kg



# BRITOOL

# Expert storage at affordable prices...

#### Protection & comfort:

- Leather handle - Padded shoulder strap
- Removable cover

#### - Special screwdriver partition - Easy access to the tool

Handy storage:

compartment

- Elastic tool retaining strap

- Large number of side pockets



# BS.T20PB

## **20" PROBAG**

- Dimensions: 49 x 22 x 35cm ∆<sup>†</sup>∆ 2.797kg



# BS.R20PB

## **ROLLING TOOL BAG**

- Efficient tool storage:
- 6 external pockets - 603F saw compartment
- Storage pocket for either A4 documents or for the flap
- High strength:

# - 1200 x 1200 deniers fabric

- Practical and comfortable: - Easy access to the bottom
- 3 ways of carrying:
- By the aluminium handle - Wheels + telescopic handle
- By the strap
- High volume:
- Capacity: 33L
- Max. weight 20kg
- Internal dimensions: 47 x 24 x 30cm - External dimensions: 55 x 36 x 44cm



\* Laptop Bag not included BS.PC15

## E010601B SOFTBAG

- Strong 600x600 denier fabric
- Elasticated pockets on inside and outside of storage compartment
- Adjustable saw compartment
- End pockets, one with a flap, one with adjustable strap
- Soft cover with kangaroo pocket and zip access
- Heavy duty steel handle with comfort grip
- Adjustable shoulder strap
- Waterproof rigid base
- 10kg load capacity



**FREDM** 







## E010130B **ROLLER CABINET 7 DRAWERS**

- Each drawer can be fitted with 3 modules
- Drawers open to allow 100% access
- Load per drawer: 15kg for 60mm drawers and 25kg for 270mm drawers
- Central Locking

- E010131B **WIDE ROLLER CABINET 8 DRAWERS**
- Each drawer can be fitted with 4 modules
- Drawers open to allow 100% access
- Load per drawer: 20 kg for 60mm drawers and 25kg for 130mm drawers
- Central Locking








E220328B / E220329B

**285 PIECE TOOLKIT RED / BLACK** 

- BRCR7 / BRCR7BL Roller Cabinet







- Worktop covered with a 2mm removable ABS plate
- Withstands a 600kg static load
- Strong polypropylene handle
- Four wheels diameter 125mm, 2 fixed and 2 castors, one with brake
- Overall dimensions (with handle): W.800 x D.500 x H.987mm
- Dimensions (without handle): W.715 x D.500 x H.987mm
- 6 drawers: W.569 x D.420 x H.60mm
- 1 drawer: W.569 x D.420 x H.270mm





- Worktop covered with a 2mm removable ABS plate - Withstands a 800 kg static load
- Strong polypropylene handle
- Four wheels diameter 125mm, 2 fixed and 2 castors, one with brake
- Overall dimensions (with handle): W.1005 x D.500 x H.987mm
- Dimensions (without handle): W.920 x D.500 x H.987mm
- 6 drawers: W.760 x D.420 x H.60mm
- 2 drawers: W.760 x D.420 x H.130mm

- 16 piece combination wrench 6-24 module
- 67 piece 1/4" ratchet & socket module
- 21 piece 1/2" SD socket module
- 4 piece mechanical plier module
- 7 piece shock tools module ball pein
- 8 piece screwdrivers module
- 8 piece offset ring wrench module
- Multigrip & locking plier module
- 74 piece ratcheting screwdriver module
- 12 piece ratcheting combination wrench module
- 4 piece Circlip pliers set
- 4 piece Combination Pliers set 27-32mm
- 8 piece T-handle Hex key set
- 33 piece 1/2" bit socket module
- 17 piece 1/2" impact socket module





Click www.facom.com or www.britoolexpert.co.uk or see 🚮 Facebook and You Tube



# STORAGE





- Durable epoxy paint
- Robust recessed folding key and central locking system with removable key for added tool security
- High quality aluminium worktop
- High quality, soft feel protective bumpers with damper effect to absorb shock, providing ankle protection
- Large diameter wheels for easy start up and manoeuvrability and a reduced risk of overturning
- 100% opening draw system for complete access and freedom of arrangement
- Heavy duty aluminium drawer opening mechanism
- Ergonomic high strength aluminium handles
- Compatible with Facom tool control storage modules





# JET.C4M3 4 DRAWER TOP CHEST

- $3 \times 60$ mm high drawers = 9 modules
- $-1 \times 130$ mm high drawer = 3 modules
- Total load acceptable in the drawers: 85kg
- Useful storage volume: 75 litres ∠T∆ 45kg



#### JET.6M3

# 6 DRAWER ROLLER CABINET

- $4 \times 60$ mm high drawers = 12 modules
- 1 x 130mm high drawer = 3 modules
- 1 x 270mm high drawer
- Supplied with 6 partitions for 60mm drawers and 2 partitions for 130mm drawer
- Total load acceptable in the drawers: 140kg
- Useful storage volume: 155 litres ∠T∆ 75.5kg



### JET.C4GM4

# **4 DRAWER TOP CHEST**

- $3 \times 60$ mm high drawers = 12 modules
- 1 x 130mm high drawer = 4 modules
- Total load acceptable in the drawers: 105kg
  Useful storage volume: 100 litres
  ∠T∆ 51.5kg



JET.7GM4 **7 DRAWER ROLLER** 





## CABINET

- 5 x 60mm high drawers = 20 modules
- 1 x 130mm high drawer = 4 modules
- 1 x 200mm high drawer
- Supplied with 9 partitions for 60mm drawers and 3 partitions for 130mm drawer
- Total load acceptable in the drawers: 195kg
- Useful storage volume: 205 litres  $\Delta \Delta = 92.5 \text{kg}$



# STORAGE



#### JET.C4M5

# **4 DRAWER TOP CHEST**

- $-3 \times 60$  mm high drawers = 15 modules
- 1 x 130 mm high drawer = 5 modules
- Total load acceptable in the drawers: 145kg
- Useful storage volume: 125 litres

 $\Delta \Delta 60.5 \text{kg}$ 



#### JET.8M5

## **8 DRAWER ROLLER** CABINET

- $6 \times 60$  mm high drawers = 30 modules
- $-2 \times 130$  mm high drawers = 10 modules
- Supplied with 16 partitions for 60 mm drawers
- Total load acceptable in the drawers: 290kg - Useful storage volume: 250 litres
- ∆™∆ 110kg



# JET

# **SAFETY BOXES**

- Interlocking drawers
- No risk of overturning
- JET.M3S roller cabinets feature the SAFETY LOCK SYSTEM, a system preventing simultaneous opening of several drawers
- Selective drawer opening
- Simple and efficient

#### JET.6GM3S

# **6 DRAWER ROLLER CABINET**

- 4 x 60mm high drawers =  $12 \mod 12$
- 1 x 130mm high drawer = 3 modules
- 1 x 270mm high drawer
- Supplied with 6 partitions for 60mm drawers and 2 partitions for 130mm drawer
- Total load acceptable in the drawers: 140kg
- Useful storage volume: 155 litres
- 4 wheels diameter 125mm, 2 fixed, 2 swivel, - 1 with brake

△ 75.5kg



# JET.8GM3S **8 DRAWER ROLLER CABINET**

- $-4 \times 60$ mm high drawers = 12 modules
- 1 x 130mm high drawer = 3 modules
- 1 x 270mm high drawer
- Supplied with 6 partitions for 60mm drawers and 2 partitions for 130mm drawer
- Total load acceptable in the drawers: 140kg
- Useful storage volume: 155 litres









- Robust 2mm aluminium worktop reinforced with 15mm wooden board
- Overall dimensions (inc.wheels and worktop) L1154 x D546 x H1000mm
- High storage capacity with cupboard for storage of bulky items (Dimensions: L.378 x P430 x H679mm)
- High performance



- 160mm wheels, 2 fixed + 2 swivelling with a brake for excellent manoeuvrability and stability
- Compatible with Facom module tool control
- Durable shock-proof propylene bumpers for extra protection



- Centralized drawer closing

- Effective drawer dimensions:

- Lock all your drawers with the turn of a key

- Overall dimensions (including wheels and

L.569 x D.421 x H.60/130/210/270mm

worktop): L.774 x D.546 x H.971mm



# JET.T6GM3 **6 DRAWER** MOBILE WORKBENCH

**SAVE 30%** 

offer pric € **1,230.5**9





JET.T7M3 **7 DRAWER** MOBILE WORKBENCH





Click www.facom.com or www.britoolexpert.co.uk or see **F** Facebook and YouTube



# **RATCHETS & SOCKETRY**











SAVE 45% List Price: €118.66

**3/4" IMPACT** 

**SOCKET SET** 

NK.500E

**(6)** x16

6

€ 65.26

NS.J9



- NK.19A - NK.21A - NK.22A - NK.23A - NK.24A - NK.26A - NK.27A - NK.28A - NK.29A - NK.30A - NK.32A - NK.34A - NK.36A -NK.38A - NK.41A - NK.42A





Ô

-

OFFER PRIC

x3

(~)

Ô

€ 34.10

**\*\*==** x21

**O** 3, 4, 5, 6, 7mm

6,35 🛛 1/4"


S.360DB0X1

J.210, J.215, J.240A

J.240A

**BUY NOW** 

# 1/2" METRIC SOCKET SET





x2 💷 🗆 S.210, S.215








# **RATCHETS & SOCKETRY**

# A selection of unmissable offers from **EBRITOOL**





E031807E

# E031803B 3/8" 6-POINT INCH SOCKET SET

- 3/8" hex sockets: 1/4"-5/16"-11/32"-3/8"-7/16"-1/2" -9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-1"
- Supplied on metal rack



# E041603B 1/2" HEX IMPACT SOCKETS

Price € 39.9

- 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32mm

F032701E

- Delivered with snap rings and safety pins
- Packaged in socket set case with metal clasps also converts into a modular storage system for use in roller cabinets





F032804E

# 1/2" IMPACT SOCKETS AND ACCESSORIES MODULE

- 1/2" Hex impact sockets: 10-11-12-13-14-15-16-17-18-19-21-22-24mm
- Torx® impact sockets: E10-E12-E14-E16-E18-E20-E24
- Long impact sockets for alloy wheels: 17-19-21mm
- 1 set of 5 snap rings and 5 pins for 1/2" impact sockets 8 to 14mm
- 1 set of 5 snap rings and 5 pins for 1/2" impact sockets 15 to 32mm

st Price: €66.0

- 1 x 1/2" 125mm impact extension
- Empty module: E041606B



Click www.facom.com or www.britoolexpert.co.uk or see IFFacebook and You Tube





7

F032805F

# **RATCHETS & SOCKETRY**

# **BRITOOL**





#### E031806B

# 3/8" SOCKET AND ACCESSORY SET

- 3/8" 12-point sockets: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24mm
- 3/8" deep hex sockets: 8-9-10-11-12-13-14-15-17-19mm
- 3/8" hex screwdriver bit sockets: 3-4-5-6-7-8-10mm
- 3/8" Torx® screwdriver bit sockets: T8-T10-T15-T20-T25-T27-T30-T40-T45-T50
- 3/8" Pozidriv® screwdriver bit sockets: PZ1-PZ2-PZ3
- 3/8"  $\ensuremath{\mathsf{Phillips}}\xspace^{\ensuremath{\mathbb{B}}}$  screwdriver bit sockets: PH1-PH2-PH3
- 3/8" sockets for 16 and 21 mm spark plugs

- 1 x 3/8" locking pear head ratchet
- 2 x 3/8" extensions 75-250mm
- 1 x 3/8" sliding T-handle
- 1 x 1/2" to 3/8" drive adapter
- 1 x 3/8" Universal joint





# E032911B 1/4" & 1/2" SOCKET, WRENCH AND ACCESSORY SET - 101 PIECES

- 1/4" hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm - 1/4" hex screwdriver bit sockets: 3-4-5-6mm



- 1 x 1/4" bit adaptor
- 2 x 1/4" extensions 55-100mm



## E194672B 1/4" 34 PIECE SOCKET AND ACCESSORY SET

- 1/4" hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
- Slotted head bits: 4-5.5-6.5mm
- Pozidriv<sup>®</sup> bits: PZ1-PZ2-PZ3
- Resistorx® bits: TT10-TT15-TT20-TT25-TT30-TT40
- Hex bits: 4-5-6mm
- 1 x 1/4" bit adaptor
- 2 x 1/4" extensions 55-100mm
- 1 x 1/4" universal joint
- 1 bimaterial screwdriver handle
- 1 x 1/4" locking pear head ratchet
- Supplied in socket set case with metal clasps also converts into a modular storage system for use in roller cabinets





- 1/4" screwdriver bit sockets: Pozidriv® PZ1-PZ2 - Phillips<sup>®</sup> PH1-PH2
- 1/4" Torx® screwdriver bit sockets: T8-T10-T15-T20-T25-T27-T30
- 1/2" hex sockets: 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32mm
- 1/2" deep hex sockets: 13-17-19mm
- 1/4" slotted head screwdriver bit sockets: 4-5.5-7mm
- 5/16" slotted head bits: 8-12mm
- 5/16" Phillips® bits: PH3-PH4
- 5/16" Pozidriv® bits: PZ3-PZ4
- 5/16" hex bits: 12-14mm

8

- 5/16" Torx® bits: T40-T45-T50-T55
- Hex key set in sleeve: 1.5-2-2.,5-3-4-5-6-7-8-9-10mm
- Combination wrenches: 7-8-10-11-12-13-14-15-16-17-18-19mm
- 1 x 1/4" locking pear head ratchet

- 1 x 1/4" universal joint
- 1 x 1/4" sliding T-handle
- 1 x 1/4" bimaterial screwdriver handle
- 1 x 1/2" locking pear head ratchet
- 1 x 1/2" universal joint
- 2 x 1/2" extensions 130-250mm
- 1 x 1/2" sliding T-handle
- 2 x 1/2" spark plug sockets: 16-21mm
- 1 x 1/2" to 5/16" bit adaptor
- Supplied in socket set case with metal clasps also converts into a modular storage system for use in roller cabinets



## E034701B **1" 14 PIECE SOCKET SET**

- 1" hex sockets: 41-46-50-55-60-65-70-75-80mm
- 2 x 1" extensions 200-400mm
- 1 x 1" ratchet
- 1 x 1" sliding T-handle



# SCREWDRIVERS, KEYS & BITS





The ergonomic, chemically resistant comfort grip handles are shaped to provide maximum torque transition





# SET OF 9 HEX KEYS

- 1/16"-5/64"-3/32"-1/8"-5/32"-3/16"-7/32"-1/4"-3/8"



# E121103B SLEEVE SET OF

7 TAMPER TORX KEYS

- Compact and strong case
- Keys in chrome vanadium steel, black phosphate finish



Designed With a bosy Horkshot IN Mind



9 PIECE EXTRA LONG METRIC HEX SET

1.5-2-2.5-3-4-5-6-8-10mm ⊿T∆ 0.35kg





# 83SH.JP8AU

# 8 PIECE SPHERICAL HEAD HEX KEY SET

3/32"-1/8"-5/32"-3/16"-7/32"-1/4"-5/16"-3/8" ⊿ī∆ 0.36kg





9 PIECE LONG SPHERICAL HEAD HEX KEY SET





- Slotted head: 2.0x40 2.5x40 3.0x40
- Phillips: PH000 -PH00 - PH0





- Torx<sup>®</sup> bits: T10x2-T15x2-T20x2-T25x2-T30x2
- ResisTorx<sup>®</sup> bits: TT10-TT15x2-TT20x2-TT25x2-TT30x2-TT40
- Hex bits: 2-3x2-4x2-5x2-6x2 mm
- Magnetic bit holder with locking ring
- Revolver ratchet bit driver + 7 bits: slotted head: 4-5.5-6mm
- Phillips<sup>®</sup>: PH1-PH2, Pozidriv®: PZ1-PZ2
- Set of 9 metric hex keys in sleeve: 1.5-2-2.5-3-4-5-6-8-10mm
- Set of 7 Torx<sup>®</sup> keys in sleeve: T10-T15-T20-T25-T27-T30-T40mm
- 1/4" bit adaptor for 1/4" sockets







- Cartridge style bit holder
- Complete with: Slotted head: 4-5.5-6mm
- Phillips®: PH1-PH2, Pozidriv®: PZ1-PZ2



# 





9

Click www.facom.com or www.britoolexpert.co.uk or see 📑 Facebook and You Tube

# **WRENCHES**



# **RATCHETING WRENCHES**

- The design incorporates a reversible ratchet system in the ring end with a recessed reverse lever, protected during torquing to avoid the risk of accidental reversal
- Supplied in a portable, practical clip set
- Perfectly suited for maximum productivity, even where access is restricted

# 467.JP10PB **10 PIECE RATCHETING** WRENCH SET

- 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm







D



- Ideal for reaching into awkward spaces and is easy to use

- Ring head: 5° ratchet mechanism angled at 15°

- Open end: angled at 15° for side access

for both tightening and loosening

467F.JP10PB **10 PIECE FLEXIBLE HEAD** METRIC RATCHETING WRENCH SET - 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm

€ 137.





467S.JP6PB **6 PIECE STUBBY** METRIC RATCHETING WRENCH SET - 8, 10, 11, 12, 13, 14mm





(a)



10



- 5/16"-3/8"-7/16"-1/2"-9/16'-5/8"-11/16"- 3/4'

HIU





E110309B

E110310B **10 PIECE METRIC** COMBINATION WRENCH SET IN RACK - 10-11-12-13-14-15-16-17-18-19mm



# E110304B

SAVE 30%

467.JPU8

WRENCH SET

**7 PIECE STUBBY** COMBINATION WRENCH SET

- 10-12-13-14-15-17-19mm ∆T∆ 0.64 kg



### E111100B

**7 PIECE COMBINATION RATCHETING WRENCH SET** WITH ADJUSTABLE WRENCH **IN PLASTIC MODULE** 

- 8-10-12-13-14-17-19mm - Adjustable wrench 250mm



WRENCH SET - 6-7-8-9-10-11-12-13-14-15-16-17-18-19-22-24mm

**16 PIECE 12 POINT** 

**METRIC COMBINATION** 

E113239B




# **€71.65** E113239E

# E117744B **9 PIECE OFFSET METRIC COMBINATION** WRENCH SET

- 8-9-10-11-13-14-15-17-19mm

















- 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19mm



10



## E112601B/E112602B/E112603B/E112604B HOOK AND PIN WRENCHES

- Sizes cover 19 to 159mm

- Hardened Chrome Vanadium steel body

	List	Offer	Saving
E112601B	€28.54	€17.12	40%
E112602B	€39.44	€23.67	40%
E112603B	€51.94	€31.16	40%
E112604B	€60.37	€36.22	40%

E111115B **3 PIECE QUADBOX** WRENCH SET

ISO 1711-1 - ASME B107.66

- Supplied in a toolroll
- E110943B : 8-10 / 12-13mm
- E110944B : 9-11 / 14-15mm
- E111945B : 16-17 / 18-19mm





# **PLIERS & TORQUE**



#### 185.20CPE

### LONG HALF-ROUND NOSE PLIERS

- Narrow, finely serrated tips with a pipe-grip

- Side cutter for copper and hard steel wire (max 160kg/mm<sup>2</sup>)
- Straight nose
- $\Delta \Delta 0.19$ kg



# 187.18CPE

# **COMBINATION PLIERS**

- High-frequency hardened cutting edges - Long lever arm, offset pivot for minimum cutting effort
- Ergonomic grips resistant to chemical agents  $\Delta \Delta 0.23$ kg



#### 192.16CPE

### **HIGH PERFORMANCE DIAGONAL CUTTERS**

- Cutting edges designed to cleanly cut all types of wire: piano wire, soft wires and modern materials 200 kg/mm<sup>2</sup>
- Minimum cutting force thanks to long lever arm and offset axis
- Ergonomic grips resistant to chemical agents
- Removable return spring

# ∆T∆ 0.2kg







#### E080701B

## **LOCKING PLIERS**

- 4-position slip joint system
- Machined groove in the upper jaw for small round sections.
- Finish: Chrome body, Phosphate finish Jaws
- Dimensions: 250mm x 63mm
- Tip of Jaw 17mm
- ∆T∆ 620g





**SAVE 30%** 

# STRAIGHT CUT LONG REACH AVIATION SHEARS

- Forged blades Built-in spring produces an automatic return separating the blades, guaranteeing comfort over long periods of use
- Accurate cut; blade slightly serrated to prevent slipping
- Cutting performance: Stainless steel 80 kg/mm<sup>2</sup> 0.8mm Semi-soft steel 1.2mm
- Comfortable: bimaterial sheath Standardized colour code



### E084807B

# SHORT NOSE SINGLE **ADJUST LOCK-GRIP PLIERS**

- Anti-corrosion chrome-plated body
- Precision machined grips
- Teeth along entire jaw
- Tightening strength adjustable by knob
- Release lever



# E214563B

# **STRAIGHT CUT AVIATION SHEARS**

- Forged blades Built-in spring produces an automatic return separating the blades, guaranteeing comfort over long periods of use
- Accurate cut; blade slightly serrated to prevent slipping
- Cutting performance: Stainless steel 80 kg/mm<sup>2</sup> 0.8mm Semi-soft steel 1.2mm
- Comfortable: bimaterial sheath Standardized colour code



# **TORQUE WRENCHES**





- Fast, precise push-button adjustment with safety lock
- 12-position notches
- The closed position of the ergonomic comfort grip handles increases the tightening power
- High torsional strength



#### 181A.18CPE - Nut capacity - 36mm $\Delta \Delta$ 2.3kg





#### 181A.25CPE - Nut capacity - 41mm ∆T∆ 3.6kg





#### 181EF.25CPE - Long nose, nut capacity 41mm $\Delta \Delta 0.35$ kg



11

# **OFFER PRICE** € 14.12





€ 20.03



Click www.facom.com or www.britoolexpert.co.uk or see 📑 Facebook and You Tube



April - June 2014

# LIGHTING

Expert Lighting DON'T GET LEF HE

**FBRITO** 

# POCKET BRILLIANCE

#### E201406B

# **USB RECHARGEABLE** PENLIGHT 6+1 LED

- NEV RODUCT
- 7 High Power SMD LEDs
- 6 LED working light provides 125 Lux at 0.5 m
- Single LED inspection light up to 45 Lux at 0.5 m
- Powered by 3x rechargeable or standard AAA batteries
- Pocket Belt clip
- Magnet built into the base



# **BALL HEAD HAMMER**

- Head hardness 50-58 HRC
- Hickory handle
- Metal wedge and wood wedge

# E201409B **FLEXIBLE** LED LAMP

- 1 High Power SMD LED
- Provides 1551 Lux at 0.5 m
- Entirely flexible neck allows the
- complete control over the direction of the light

FLEXIBLE AND

POWERFUL

- Pull/Push sliding head operates the LED focus - Powered by 2x AAA batteries (not included)
- On/Off rocker switch - Magnet built into the base
- IP54

#### OFFER PRICE SAVE 35% € 48.79

# THE LATEST LED ECHNOLOGY

E201407B

DEXCERT

# BENDABLE RECHARGEABLE LED INSPECTION LAMP

- Body is flexible through 180° with the base
- COB LED working light provides 270 Lux at 0.5 m
- Up to 4.5 hours output when fully charged
- COB LED irradiates the zebra shadow effect seen with multiple LEDS
- 5 LED inspection light up to 58 Lux at 0.5 m
- Up to 20 hours output when fully charged
- Powered by built in rechargeable Li-ion battery - Non-slip body
- 2 x hanging hooks & 3 x Magnets



# PRODUCT

# E201410B **FLEXIBLE UV** LED LAMP

- Specialist UV Light 7 UV LEDs - Entirely flexible neck allows the
- complete control over the direction of the light - Powered by 2x AAA batteries (not included)

ON THE SPOT UV

- On/Off rocker switch
- Magnet built into the base - IP54



# WIRELESS ILLUMINATION

E201408B

# RECHARGEABLE

- LED UNDER BONNET LAMP
- 14 High Power SMD LEDs
- Provides 180 Lux at 1.0 m
- Diffused lens to even the distribution of light output
- Powered by built in rechargeable Li-ion battery, up to 4 hours output when fully charged
- Battery level indicator
- 2x hanging hooks extendable between 1140 1900 mm

**OFFER PRICE** 

- Hooks can independently rotate to direct the light



# **PROFESSIONAL VICE**

- All forged, heavy duty steel construction for maximum longevity
- Precision machined for smooth fault free operation
- Integral anvil design



- Interchangeable jaws

	List	Offer	Saving
E150106B	€16.27	€9.76	40%
E150107B	€18.93	€11.36	40%
E150108B	€24.06	€14.43	40%
E150109B	€28.32	€16.99	40%
E150110B	€31.32	€18.79	40%







DEALER STAMP

# A SELECTION OF UNMISSABLE OFFERS FROM 2 WORLD CLASS TOOL BRANDS



🔁 FACOM



**Europa Court, Sheffield Business Park, Sheffield, S9 1XE** Sales Tel: +44 (0) 1142 917266 Sales Fax: +44 (0) 1142 917131 Sales email: customerservices@facom.com

All prices exclude VAT. Offers end 30th June 2014. Products and promotional merchandise subject to availability while stocks last. Facom UK and Britool Expert reserve the right to modify any product, specification or price without prior notice. For full Facom & Britool Expert T&C's please refer to the Britool Expert website